

**MANAGING
OTHER
CHRONIC
CONDITIONS**

TAKING CHARGE OF HEART FAILURE

Important Information

Please write down important contact information in the space below. You may also want to share this information with family members and friends.

Health Care Provider Treating Me for Heart Failure:

Name _____

Address _____

City _____ State ____ ZIP _____

Phone _____

Fax _____

E-mail _____

Other Important Phone Numbers:

Ambulance, fire department, or emergency services: **911**

Pharmacy _____

Other health care providers:





CHRONIC CONDITIONS

Contents

Introduction	4
Common Chronic Medical Conditions	5
Diabetes	6
Lung Disease	7
High Blood Pressure	8
High Cholesterol	9
Decreased Kidney Function	10
The Metabolic Syndrome (Obesity)	11
Arthritis, and Muscle and Joint Pain	12
Learn More	13
About the HFSA	back cover



The information in this booklet is the copyrighted work of The Heart Failure Society of America and/or its affiliates and is protected under US and worldwide copyright laws and treaty provisions.

The Heart Failure Society of America (HFSA) is a non-profit organization of health care professionals and researchers who are dedicated to enhancing quality and duration of life for patients with heart failure and preventing the condition in those at risk. HFSA developed these modules to help patients, their families, and individuals at risk for heart failure understand and cope with the disease. For more information about the Society please visit our web site www.hfsa.org

This booklet was developed under the direction of the Heart Failure Society of America. The booklet is designed as an aid to patients/physicians and sets forth current information and opinions on the subject of heart failure. The information in this booklet does not dictate an exclusive regimen of treatments or procedures to be followed and should not be construed as excluding other acceptable methods of practice. Variations taking into account the needs of the individual patient, resources, and limitations unique to the institution or type of practice may be appropriate.



TAKING CHARGE OF HEART FAILURE

Introduction

Heart failure is a chronic medical condition, that is, one that usually requires lifelong treatment. Many people with heart failure also have other chronic medical conditions. Other chronic medical conditions may require that you take medicines or make other lifestyle changes in addition to taking the medicines prescribed as part of your heart failure treatment plan. To help your health care team better manage your care, be sure to tell them about all of your chronic medical conditions including any medicines you are taking to treat these other conditions. Trying to manage several medical conditions at the same time may be confusing.

This module will provide information on:

- Other chronic medical conditions commonly experienced by people with heart failure.
- The impact of these other chronic medical conditions on heart failure and its treatment.
- Lifestyle changes that may be required to manage your overall health when dealing with more than one medical condition.

It will help you:

- Understand how some common chronic medical conditions can impact your heart failure treatment plan.
- Learn about the medicines and lifestyle choices used to treat these other chronic medical conditions.
- Learn how to better manage all of your chronic medical conditions, including heart failure.





CHRONIC CONDITIONS

Common Chronic Medical Conditions

People with heart failure can have other medical conditions and/or illnesses. Managing these with your heart failure can be difficult, so it is important that everyone on your health care team is aware of your medications, conditions, and illnesses. It is important to keep a record or list of your acute and chronic problems, as well as a list of medicines you take, with you for your health care team to review. Try to use the same pharmacy for all your prescription medicines, so your community pharmacist can inform you of interactions, risks, and benefits of the medicines. Never stop taking any medicines without speaking to your prescribing doctor first.

The most common chronic conditions that people with heart failure have are:

- Diabetes.
- Lung disease.
- High blood pressure.
- High cholesterol.
- Decreased kidney function.
- Arthritis, and muscle and joint pain



TAKING CHARGE OF HEART FAILURE

Diabetes

About one-third of individuals with heart failure also have diabetes. Having diabetes and heart failure can worsen your heart health if the diabetes is not controlled. Uncontrolled diabetes can cause heart attacks, stiffening of the arteries, and kidney damage. This makes it harder for your heart to pump and harder for the kidneys to eliminate excess fluid. Uncontrolled diabetes can also cause strokes, nerve damage, and vision problems. Because you have heart failure, it is particularly important to control your blood sugar to help prevent further complications.

To reduce your risk of diabetes making your heart failure worse, keep a record of your blood sugars and share that information with your health care team. Also, take your medicines as prescribed, and follow your exercise and diet programs.

There are newer drugs now approved for the treatment of diabetes that can actually improve your overall heart health and heart failure as well. Ask your primary care provider if you are a good candidate for any of these new drugs.

If you have diabetes, you should ask your health care provider about any possible side effects of all your diabetes medicines on your heart failure.





CHRONIC CONDITIONS

Lung Disease

Both heart failure and lung (also called pulmonary) diseases, such as chronic obstructive pulmonary disease or asthma, can cause you to experience shortness of breath. If you begin to have shortness of breath or trouble breathing and are not sure of the reason, ask your health care provider.

If you develop a new cough, it could be due to worsening heart failure, a respiratory infection, pulmonary disease, or a side effect from a heart failure medicine, such as your ACE (angiotensin-converting enzyme) inhibitor pills. Again, ask your health care provider, especially if your cough is keeping you awake at night.

Beta-blockers, another important type of medicine used to treat heart failure, can cause or aggravate bronchospastic symptoms in people with asthma. Bronchospastic symptoms are those that occur when your airways tighten and can include shortness of breath, wheezing, coughing, or difficulty breathing in or out. If you take a beta-blocker pill and have breathing problems, tell your health care provider. Do not stop these medications suddenly without consulting your health care team.



TAKING CHARGE OF HEART FAILURE

High Blood Pressure

High blood pressure can make your heart work harder. It can make you feel weak, tired, and lead to more health problems.

The AHA recommends monitoring your blood pressure at home if you have heart failure and high blood pressure, and have been treated with medicines. You should record your blood pressure 1-2 hours after you take your heart failure medicines. This will help your health care team manage your heart failure and high blood pressure more effectively.

It is also important to understand what all of your medicines are intended to treat. Never stop taking your medicines without your health care provider's approval. Do not adjust your dosage or make any other changes to the health care provider's prescribing instructions.

Many of the medicines used to treat heart failure are also used to treat high blood pressure. These include ACE inhibitors, beta-blockers, diuretics (water pills), and angiotensin receptor blockers (ARBs). Some high blood pressure medicines may slow your heart rate (e.g., beta-blockers), and some may cause fluid retention. If you have questions about the side effects of any of your blood pressure medicines, you should contact your doctor or nurse.

Questions to Ask Your Doctor or Nurse

Do I have high blood pressure? What should my blood pressure be?

It is important for you to understand all of your chronic medical conditions, so the doctors and nurses involved in your care can develop a treatment plan that will work well for you. It is also easier to participate more actively in your own care if you understand the medical conditions affecting your health.

Should I check my blood pressure at home?

Ask your doctor or nurse if they recommend that you check your blood pressure at home.





CHRONIC CONDITIONS

High Cholesterol

Cholesterol is a specific type of molecule in the body that has many important functions. For example, it is used by the body to make some hormones and vitamins such as vitamin D. However if you get too much cholesterol or other types of “bad” fats in your diet, they can build up in your arteries and cause them to harden. This buildup also narrows your arteries and makes it more difficult for blood to flow through them as it should. One of the dangers of this buildup is that it can cause a blood clot, which can lead to a heart attack or stroke. Having a heart attack damages heart muscle and can worsen heart failure. If you already have coronary artery disease and heart failure, it is important to work with your health care team to reduce your cholesterol levels to normal to decrease your risk of having a heart attack.

To manage your cholesterol, you should:

- Decrease your weight to expected levels for your height, especially if you are overweight or obese.
- Limit your fat and cholesterol intake and follow a low-sodium diet. Read food labels to be sure you are not choosing foods that are high in fat or sodium. (See Module 2: How to Follow a Low-Sodium Diet for information on how to read food labels and how to choose low-sodium foods.)
- Take statins or other medications to lower your LDL cholesterol, if prescribed by your health care provider.
- Exercise regularly after consulting with your health care provider.



TAKING CHARGE OF HEART FAILURE

Decreased Kidney Function

People with heart failure can sometimes develop decreased kidney function. The interaction between heart failure and kidney function is very complex. For example, sometimes kidney function can decrease as a result of heart failure getting worse. There are also times when heart failure medications may contribute to worsening kidney function. Your health care team will monitor your kidney function through routine blood tests and may adjust your medications in response to changes in specific lab values obtained from these routine tests.

Your heart failure medicines and your diuretic (water pill) can be adjusted if you are retaining fluid in your legs or abdomen. Weigh yourself at the same time every morning to see how your body is managing fluid. If you gain 3 lbs. in 24 hours or 5 lbs. in a week, contact your health care provider.

If your kidney function worsens, your doctor or nurse will need to change some of your heart failure medicines.

Always take your diuretic and other heart failure medicines only as prescribed. Taking too much of some medicines can worsen your kidney function. (See Module 3: Heart Failure Medicines for information on taking diuretics and other medicines to treat heart failure.)



CHRONIC CONDITIONS

The Metabolic Syndrome (Obesity)

Too much body weight makes your heart work harder. People with a body mass index (BMI) of 30 or higher are considered obese and have a higher risk for such health problems as heart disease, stroke, high blood pressure, diabetes, and more. Obesity is also responsible for more hospital admissions.

If you are obese, it is important to lose weight. The best way to do this is to follow a well-balanced diet and to increase your level of physical activity. Talk with your health care team about whether you need to lose weight, how much you need to lose, and the best ways for you to do this.

TAKING CHARGE OF HEART FAILURE

Arthritis, and Muscle and Joint Pain

Osteoarthritis is the most common form of joint disease as we age. People with heart failure may also have gout, painful swelling of the joints. Non-steroidal anti-inflammatory drugs (NSAIDs) are typically used to manage joint pain and other medical conditions. You can buy some NSAIDs over-the-counter, while others require a prescription. NSAIDs include medicines such as aspirin, ibuprofen, indomethacin, and naproxen.

In general, it is preferable to use acetaminophen to treat arthritis, and muscle or joint pain. Although there are many over-the-counter medicines for pain, it is important to know that NSAIDs must be used with caution in patients with heart failure because they can lead to fluid retention and worsening kidney function. Ask your health care provider about the best treatment for your arthritis.

Remaining active is one way to decrease the symptoms of arthritis and help you feel better when you have heart failure. (See Module 5: Exercise and Activity for ways to safely increase your activity level.) There are also alternative therapies that your health care team can recommend. You might meet with a dietitian to discuss a low-inflammatory diet or other ways of achieving a healthy weight.



CHRONIC CONDITIONS

Learn More

You can learn more about how to take control of your heart failure by reading the other modules in this series. You can get copies of these modules from your doctor or nurse. Or you can visit the Heart Failure Society of America web site at www.hfsa.org.

The topics covered in other modules include:

Introduction: Taking Control of Heart Failure

How to Follow a Low-Sodium Diet

Heart Failure Medicines

Self-Care: Following Your Treatment Plan and Dealing with Your Symptoms

Exercise and Activity

Managing Feelings About Heart Failure

Tips for Family and Friends

Advance Care Planning

Heart Rhythm Problems

How to Evaluate Claims of New Heart Failure Treatments and Cures


These modules are not intended to replace regular medical care. You should see your doctor or nurse regularly. The information in these modules can help you work better with your doctor or nurse.



About the Heart Failure Society of America, Inc.

In the spring of 1994, a small group of academic cardiologists gathered in New York to discuss the formation of a society that would focus on heart failure. This group had long recognized that the disease was on the rise; yet there was no venue for researchers, trainees, and clinicians to gather to discuss new treatments, research results, and the rise in health care costs associated with heart failure. A society dedicated to heart failure would bring together health care professionals, including researchers, physicians, nurses, and other allied health care professionals, to learn more about the mechanisms of the disease, how best to treat patients, play a role in reducing health care costs, etc. The meeting led to the incorporation of the Heart Failure Society of America, Inc.

The Heart Failure Society of America, Inc. (HFSA) represents the first organized effort by heart failure experts from the Americas to provide a forum for all those interested in heart function, heart failure, and congestive heart failure (CHF) research and patient care.



Complimentary HFSA Patient Resource Available!

Heart Failure Storylines mobile app allows patients and caregivers to track appointments, mood, symptoms, and more on the same timeline as their treatment. It gives an accurate, shareable record of patient experiences between physician visits and helps care teams collaborate on treatment strategies. The app is useful for someone living with Heart Failure as well as a caregiver. Learn more today visit www.hfsa.org.